

LISTA DE BATERIAS APROVADAS 2S LiPo (Sitck) 2014

Origin of Supply	Cell Name, Shrink Details	Illustration only	Manufacturer Data.	EFRA measured Specification,	Approval Date
BATERIAS APROVADAS EM 2014 VÁLIDAS PARA EVENTOS FEPRA EM 2014					
Associated Electrics	Reedy # 313		Reedy LiPo 2S 7.4v. 52.0 Wh. 65C Wt. 305/331 g. 5mm. Tubes	Sample complies with EFRA dimensions. Wt. 315.6 g.	05.01.14
CS-Electronic	CS Professional # C211032		CS LiPo 2S 7.4v. 56.3 Wh. 90C Wt. 321/347 g. 5mm. Tubes	Sample complies with EFRA dimensions. Wt. 328.9 g.	05.01.14
CS-Electronic	CS Professional # C211026		CS LiPo 2S 7.4v. 35.5 Wh. 90C Wt. 209/227 g.	Sample complies with EFRA dimensions. Wt. 215.9 g.	05.01.14
Hacker Motor	Hacker Top Fuel # 77200277		Hacker LiPo 2S 7.4v. 50.3 Wh. 90C Wt. 300/325 g.	Sample complies with EFRA dimensions. Wt. 300.6 g.	05.01.14
Hacker Motor	Hacker Top Fuel # 74500277		Hacker LiPo 2S 7.4v. 31.1 Wh. 90C Wt. 199/215 g.	Sample complies with EFRA dimensions. Wt. 204.7 g.	05.01.14
Hobbico RC	TrakPower # TKPC0616		TrakPower LiPo 2S 7.4v. 42.0 Wh. 90C Wt. 283/306 g. 5mm. Tubes	Sample complies with EFRA dimensions. Wt. 294.8 g.	05.01.14
Hobbico RC	TrakPower # TKPC0621		TrakPower LiPo 2S 7.4v. 54.0 Wh. 90C Wt. 312/338 g. 5mm. Tubes	Sample complies with EFRA dimensions. Wt. 336.0 g.	05.01.14
Hobbico RC	TrakPower # TKPC0610		TrakPower LiPo 2S 7.4v. 34.0 Wh. 90C Wt. 211/229 g. 5mm. Tubes	Sample complies with EFRA dimensions. Wt. 220.2 g.	05.01.14
Hobbico RC	TrakPower # TKPC0607		TrakPower LiPo 2S 7.4v. 24.0 Wh. 90C Wt. 144/156 g.	Sample complies with EFRA dimensions. Wt. 153.2 g.	05.01.14
Intellect Battery	IP # CC2S6000V9		Intellect LiPo 2S 7.4v. 44.0 Wh. 90C Wt. 283/307 g. 5mm. Tubes	Sample complies with EFRA dimensions. Wt. 295.6 g.	05.01.14

Intellect Battery	IP # CC2S7600V9		Intellect LiPo 2S 7.4v. 56.0 Wh. 90C Wt. 321/348 g. 5mm. Tubes	Sample complies with EFRA dimensions. Wt. 336.5 g.	05.01.14
Intellect Battery	IP # BG2S4800V9		Intellect LiPo 2S 7.4v. 36.0 Wh. 90C Wt. 211/229 g. 5mm. Tubes	Sample complies with EFRA dimensions. Wt. 219.8 g.	05.01.14
VTEC LRP	VTEC # 430211		LRP LiPo 2S 7.4v. 44.4 Wh. 55C Wt. 282/306 g.	Sample complies with EFRA dimensions. Wt. 294.3 g.	05.01.14
VTEC LRP	VTEC # 430210		LRP LiPo 2S 7.4v. 55.5 Wh. 55C Wt. 318/345 g.	Sample complies with EFRA dimensions. Wt. 334.2 g.	05.01.14
VTEC LRP	VTEC # 430214		LRP LiPo 2S 7.4v. 34.8 Wh. 55C Wt. 213/231 g.	Sample complies with EFRA dimensions. Wt. 221.8 g.	05.01.14
Modern Creations	Team Silverback Elite # 5300502SINA		Team Silverback LiPo 2S 7.4v. 39.22 Wh. 50C Wt. 245/265 g. 5mm. Tubes	Sample complies with EFRA dimensions. Wt. 254.9 g.	05.01.14
Modern Creations	Team Silverback SpiralX # 6300902SINA		Team Silverback LiPo 2S 7.4v. 46.62 Wh. 90C Wt. 283/307 g. 5mm. Tubes	Sample complies with EFRA dimensions. Wt. 294.2 g.	05.01.14
Modern Creations	Team Silverback Spiral # 7200802SINA		Team Silverback LiPo 2S 7.4v. 53.28 Wh. 80C Wt. 297/322 g. 5mm. Tubes	Sample complies with EFRA dimensions. Wt. 312.0 g.	05.01.14
Muchmore Racing	Muchmore Impact # MLI-IH6000SP		Muchmore LiPo 2S 7.4v. 44.4 Wh. 80C Wt. 278/302 g.	Sample complies with EFRA dimensions. Wt. 288.5 g.	05.01.14
Muchmore Racing	Muchmore Impact # MLI-ST4600FD		Muchmore LiPo 2S 7.4v. 34.0 Wh. 80C Wt. 211/229 g.	Sample complies with EFRA dimensions. Wt. 221.9 g.	05.01.14
Neidhart SA	ORION Carbon Pro # ORI 14061		Orion LiPo 2S 7.4v. 42.9 Wh. 100C Wt. 296/320 g.	Sample complies with EFRA dimensions. Wt. 307.7 g.	05.01.14
Neidhart SA	ORION Carbon Pro # ORI 14062		Orion LiPo 2S 7.4v. 50.3 Wh. 100C Wt. 301/327 g.	Sample complies with EFRA dimensions. Wt. 312.4 g.	05.01.14

Neidhart SA	ORION Carbon Pro # ORI 14060		Orion LiPo 2S 7.4v. 50.3 Wh. 100C Wt. w/wire 305/331 g.	Sample complies with EFRA dimensions. Wt. w/wires 316.1 g.	05.01.14
Neidhart SA	ORION Carbon Pro # ORI 14066		Orion LiPo 2S 7.4v. 31.1 Wh. 100C Wt. 198/214 g.	Sample complies with EFRA dimensions. Wt. 203.4 g.	05.01.14
VTEC Nosram	Nosram X-treme Race # 999508		Nosram LiPo 2S 7.4v. 44.4 Wh. 55C Wt. 282/306 g.	Sample complies with EFRA dimensions. Wt. 294.3 g.	05.01.14
VTEC Nosram	Nosram X-treme Race # 999507		Nosram LiPo 2S 7.4v. 55.5 Wh. 55C Wt. 318/345 g.	Sample complies with EFRA dimensions. Wt. 334.2 g.	05.01.14
VTEC Nosram	Nosram X-treme Race # 999511		Nosram LiPo 2S 7.4v. 34.8 Wh. 55C Wt. 213/231 g.	Sample complies with EFRA dimensions. Wt. 221.8 g.	05.01.14
Pro Models BVBA	Corally # 48257		Corally LiPo 2S 7.4v. 44.4 Wh. 90C Wt. 286/310 g.	Sample complies with EFRA dimensions. Wt. 299.4 g.	05.01.14
Pro Models BVBA	Corally # 48256		Corally LiPo 2S 7.4v. 51.8 Wh. 90C Wt. 307/333 g.	Sample complies with EFRA dimensions. Wt. 319.9 g.	05.01.14
Pro Models BVBA	Corally # 48255		Corally LiPo 2S 7.4v. 59.2 Wh. 90C Wt. 312/338 g.	Sample complies with EFRA dimensions. Wt. 318.6 g.	05.01.14
ProTek RC	ProTek RC # PTK 5104-14		ProTek LiPo 2S 7.4v. 42.9 Wh. 100C Wt. 283/307 g. 5mm. Tubes	Sample complies with EFRA dimensions. Wt. 295.0 g.	05.01.14
ProTek RC	ProTek RC # PTK 5107-14		ProTek LiPo 2S 7.4v. 54.7 Wh. 100C Wt. 321/348 g. 5mm. Tubes	Sample complies with EFRA dimensions. Wt. 336.8 g.	05.01.14
ProTek RC	ProTek RC # PTK 5102-14		ProTek LiPo 2S 7.4v. 34.7 Wh. 100C Wt. 211/229 g. 5mm. Tubes	Sample complies with EFRA dimensions. Wt. 221.5 g.	05.01.14
ProTek RC	ProTek RC # PTK 5100-14		ProTek LiPo 2S 7.4v. 23.6 Wh. 100C Wt. 144/156 g.	Sample complies with EFRA dimensions. Wt. 153.4 g.	05.01.14

Tianco	ORCA Infinite # OB6290G6		Orca LiPo 2S 7.4v. 45.9 Wh. 90C Wt. 283/307 g. 5mm. Tubes	Sample complies with EFRA dimensions. Wt. 295.7 g.	05.01.14
Tianco	ORCA Infinite # OB7590GT		Orca LiPo 2S 7.4v. 55.5 Wh. 90C Wt. 322/348 g. 5mm. Tubes	Sample complies with EFRA dimensions. Wt. 339.5 g.	05.01.14
Tianco	ORCA Infinite # OB4890P5		Orca LiPo 2S 7.4v. 35.5 Wh. 90C Wt. 211/229 g. 5mm. Tubes	Sample complies with EFRA dimensions. Wt. 221.0 g.	05.01.14
Trinity Revtech Epic	RevTech FormulaX # REV2021-5		Revtech LiPo 2S 7.4v. 52.9 Wh. 100C Wt. 298/322 g. 5mm. Tubes	Sample complies with EFRA dimensions. Wt. 310.2 g.	05.01.14
Xcite RC	Xcite Energy XXL # 56600103		Xcite LiPo 2S 7.4v. 42.9 Wh. 80C Wt. 283/307 g. 5mm. Tubes.	Sample complies with EFRA dimensions. Wt. 296.0 g.	05.01.14
Xcite RC	Xcite Energy XXL # 56600102		Xcite LiPo 2S 7.4v. 54.8 Wh. 80C Wt. 322/348 g. 5mm. Tubes.	Sample complies with EFRA dimensions. Wt. 337.4 g.	05.01.14
Xcite RC	Xcite Energy XXL # 56600105		Xcite LiPo 2S 7.4v. 34.0 Wh. 80C Wt. 211/229 g. 5mm. Tubes.	Sample complies with EFRA dimensions. Wt. 221.5 g.	05.01.14
Fullymax	Fullymax # FB6400 80C 7.4 WB		Fullymax LiPo 2S 7.4v. 47.3 Wh. 80C Wt. 307/333 g.	Sample complies with EFRA dimensions. Wt. 315.4 g.	05.01.14
Fullymax	Fullymax # FB7500 45C 7.4 WB		Fullymax LiPo 2S 7.4v. 55.5 Wh. 45C Wt. 314/340 g.	Sample complies with EFRA dimensions. Wt. 322.1 g.	05.01.14
Graupner	GM V-MAXX # 99031		GM LiPo 2S 7.4v. 56.2 Wh. 100C Wt. 322/348 g.	Sample complies with EFRA dimensions. Wt. 328.6 g.	05.01.14
Moore Speed	Moore-Speed # MS-B7408		M/Speed LiPo 2S 7.4v. 45.9 Wh. 80C Wt. 295/319 g.	Sample complies with EFRA dimensions. Wt. 310.4 g.	05.01.14
nVision	nVision # NVO 1120		nVision LiPo 2S 7.4v. 42.9 Wh. 100C Wt. 302/327 g.	Sample complies with EFRA dimensions. Wt. 313.2 g.	05.01.14


nVision	nVision # NVO 1118		nVision LiPo 2S 7.4v. 42.9 Wh. 100C Wt. w/wire 305/331 g.	Sample complies with EFRA dimensions. Wt. w/wires 317.6 g.	05.01.14
nVision	nVision # NVO 1121		nVision LiPo 2S 7.4v. 50.3 Wh. 100C Wt. 308/334 g.	Sample complies with EFRA dimensions. Wt. 319.1 g.	05.01.14
nVision	nVision # NVO 1119		nVision LiPo 2S 7.4v. 50.3 Wh. 100C Wt. w/wire 311/337 g.	Sample complies with EFRA dimensions. Wt. w/wires 322.0 g.	05.01.14
nVision	nVision # NVO 1125		nVision LiPo 2S 7.4v. 31.1 Wh. 100C Wt. 197/213 g.	Sample complies with EFRA dimensions. Wt. 202.9 g.	05.01.14
RC Industries Int.	Pro Amps # PA6060002S		Pro Amps LiPo 2S 7.4v. 44.4 Wh. 60C Wt. 292/316 g.	Sample complies with EFRA dimensions. Wt. 303.2 g.	05.01.14
RC Industries Int.	Pro Amps # PA6042002S2P		Pro Amps LiPo 2S 7.4v. 31.1 Wh. 60C Wt. 185/201 g.	Sample complies with EFRA dimensions. Wt. 194.8 g.	05.01.14
Shanghai Dualsky	Track & Field # 31085		Dualsky LiPo 2S 7.4v. 51.8 Wh. 80C Wt. 301/327 g. 5mm. Tubes.	Sample complies with EFRA dimensions. Wt. 326.4 g.	05.01.14
Shanghai Dualsky	Track & Field # 31097		Dualsky LiPo 2S 7.4v. 34.0 Wh. 75C Wt. 202/218 g.	Sample complies with EFRA dimensions. Wt. 207.7 g.	05.01.14
Shenzhen Acepow Electronics	Gens ace # B50C50002S1 PH/Case10		Acepow LiPo 2S 7.4v. 37.0 Wh. 50C Wt. 291/316 g.	Sample complies with EFRA dimensions. Wt. 292.3 g.	05.01.14
Shenzhen Acepow Electronics	Gens ace # B65C53002S1 PH/Case10		Acepow LiPo 2S 7.4v. 39.2 Wh. 65C Wt. 301/326 g.	Sample complies with EFRA dimensions. Wt. 301.9 g.	05.01.14
Shenzhen Acepow Electronics	Gens ace # B45C58002S2 PH/Case10		Acepow LiPo 2S 7.4v. 42.9 Wh. 45C Wt. 304/329 g.	Sample complies with EFRA dimensions. Wt. 304.7 g.	05.01.14
BATERIAS APROVADAS EM 2013 VÁLIDAS PARA EVENTOS FEPPA EM 2014					
Arrowind Hobby	Black Magic # BM A35 5002A		Arrowind Hobby LiPo 2S 7.4v. 37.0 Wh. 35C Wt. 268/290 g. Also in Carbon/F finish.	Complies with EFRA. specified dimensions. Wt. 278.2 g.	02.01.13

Arrowind Hobby	Black Magic # BM A99 6602D		Arrowind Hobby LiPo 2S 7.4v. 48.84 Wh. 99C Wt. 296/320 g. Also in Carbon/F finish.	Complies with EFRA. specified dimensions. Wt. 307.5 g.	02.01.13
Associated Electrics	Reedy # 309		Reedy LiPo 2S 7.4v. 57.0 Wh. 65C Wt. 305/331 g.	Complies with EFRA. specified dimensions. Wt. 315.2 g.	02.01.13
Associated Electrics	Reedy # 602		Reedy LiPo 2S 7.4v. 31.0 Wh. 65C Wt. 200/216 g.	Complies with EFRA. specified dimensions. Wt. 206.5 g.	02.01.13
Graupner	GM V-MAXX # 99027		GM LiPo 2S 7.4v. 47.36 Wh. 70C. Wt. 280/304 g.	Complies with EFRA. specified dimensions. Wt. 293.7 g.	02.01.13
Graupner	GM V-MAXX # 99024		GM LiPo 2S 7.4v. 53.28 Wh. 70C. Wt. 307/333 g.	Complies with EFRA. specified dimensions. Wt. 321.6 g.	02.01.13
Graupner	GM V-MAXX # 99020		GM LiPo 2S 7.4v. 33.3 Wh. 70C. Wt. 206/224 g.	Complies with EFRA. specified dimensions. Wt. 214.8 g.	02.01.13
Hacker Motor	Hacker Top Fuel # 7400277		Hacker LiPo 2S 7.4v. 29.6 Wh. 90C. Wt. 205/223 g.	Complies with EFRA. specified dimensions. Wt. 211.9 g.	02.01.13
Intellect Battery	IP # CC2S6000V8		Intellect LiPo 2S 7.4v. 44.0 Wh. 80C Wt. 286/310 g. 5mm. Tubes	Complies with EFRA. specified dimensions. Wt. 298.9 g.	02.01.13
Intellect Battery	IP # CC2S7200V8		Intellect LiPo 2S 7.4v. 53.0 Wh. 80C Wt. 312/338 g. 5mm. Tubes	Complies with EFRA. specified dimensions. Wt. 326.1 g.	02.01.13
Intellect Battery	IP # BG2S4600V8		Intellect LiPo 2S 7.4v. 34.0 Wh. 80C Wt. 206/223 g.	Complies with EFRA. specified dimensions. Wt. 215.6 g.	02.01.13
King Golden	Speedpower # SF000010		King Golden LiPo 2S 7.4v. 50.32 Wh. 70C Wt. 303/328 g.	Complies with EFRA. specified dimensions. Wt. 317.5 g.	02.01.13
King Golden	Speedpower # SF000011		King Golden LiPo 2S 7.4v. 32.56 Wh. 50C Wt. 206/223 g.	Complies with EFRA. specified dimensions. Wt. 215.9 g.	02.01.13

VTEC	VTEC # 430205		LRP LiPo 2S 7.4v. 38.5 Wh. 40C Wt. 242/262 g.	Complies with EFRA. specified dimensions. Has chassis location. Wt. 253.1 g.	02.01.13
VTEC	VTEC # 430206		LRP LiPo 2S 7.4v. 42.2 Wh. 40C Wt. 283/307 g.	Complies with EFRA. specified dimensions. Wt. 296.3 g.	02.01.13
VTEC	VTEC # 430201		LRP LiPo 2S 7.4v. 51.8 Wh. 55C Wt. 303/328 g.	Complies with EFRA. specified dimensions. Wt. 317.1 g.	02.01.13
VTEC	VTEC Big Mama. # 430200		LRP LiPo 2S 7.4v. 53.5 Wh. 50C Wt. 311/337 g.	Complies with EFRA. specified dimensions. Wt. 325.7 g.	02.01.13
VTEC	VTEC # 430204		LRP LiPo 2S 7.4v. 33.3 Wh. 55C Wt. 217.2 g.	Complies with EFRA. specified dimensions. Wt. 217.2 g.	02.01.13
Modern Creations	Team Silverback Venus # 300752SIN		Team Silverback LiPo 2S 7.4v. 54.02 Wh. 75C Wt. 302/327 g.	Complies with EFRA. specified dimensions. Wt. 312.5 g.	02.01.13
Modern Creations	Team Silverback Venus # 4700752SIN- 96		Team Silverback LiPo 2S 7.4v. 34.78 Wh. 75C Wt. 202/219 g.	Complies with EFRA. specified dimensions. Wt. 206.9 g.	02.01.13
Team ORION	ORION Carbon Pro # ORI 14056		Orion LiPo 2S 7.4v. 59.2 Wh. 90C Wt. 306/331 g.	Complies with EFRA. specified dimensions. Wt. 309.0 g.	02.01.13
Team ORION	ORION Carbon Pro # ORI 14057		Orion LiPo 2S 7.4v. 59.2 Wh. 90C Wt. w/wire 306/331 g.	Complies with EFRA. specified dimensions. Wt. w/wire 312.1 g.	02.01.13
Team ORION	ORION Carbon Pro # ORI 14055		Orion LiPo 2S 7.4v. 29.6 Wh. 90C Wt. 206/223 g.	Complies with EFRA. specified dimensions. Wt. 210.0 g.	02.01.13
VTEC	Nosram X-treme Race # 999505		Nosram LiPo 2S 7.4v. 38.5 Wh. 40C Wt. 241/261 g.	Complies with EFRA. specified dimensions. Has chassis location. Wt. 252.1 g.	02.01.13
VTEC	Nosram X-treme Race # 999506		Nosram LiPo 2S 7.4v. 42.2 Wh. 40C Wt. 284/308 g.	Complies with EFRA. specified dimensions. Wt. 297.7 g.	02.01.13

VTEC	Nosram X-treme Race # 999501		Nosram LiPo 2S 7.4v. 51.8 Wh. 55C Wt. 303/328 g.	Complies with EFRA. specified dimensions. Wt. 317.9 g.	02.01.13
VTEC	Nosram X-treme Race Big Mama # 999500		Nosram LiPo 2S 7.4v. 53.5 Wh. 50C Wt. 311/337 g.	Complies with EFRA. specified dimensions. Wt. 328.8 g.	02.01.13
VTEC	Nosram X-treme Race # 999504		Nosram LiPo 2S 7.4v. 33.3 Wh. 55C Wt. 207/224 g.	Complies with EFRA. specified dimensions. Wt. 216.6 g.	02.01.13
Tianco	ORCA Infinite # OB608015		Tianco LiPo 2S 7.4v. 44.4 Wh. 80C Wt. 286/310 g. 5mm. Tubes	Complies with EFRA. specified dimensions. Wt. 298.0 g.	02.01.13
Tianco	ORCA Infinite # OB7080G5		Tianco LiPo 2S 7.4v. 51.8 Wh. 80C Wt. 312/338 g. 5mm. Tubes	Complies with EFRA. specified dimensions. Wt. 328.2 g.	02.01.13
Tianco	ORCA Infinite # OB45480P4		Tianco LiPo 2S 7.4v. 33.3 Wh. 80C Wt. 206/223 g.	Complies with EFRA. specified dimensions. Wt. 214.8 g.	02.01.13
Vampire Racing	Vampire # VR-1022		Vampire LiPo 2S 7.4v. 31.0 Wh. 30C Wt. 230/249 g.	Complies with EFRA. specified dimensions. Has chassis locations Wt. 238.0 g.	02.01.13
Vampire Racing	Vampire # VR-1021		Vampire LiPo 2S 7.4v. 39.0 Wh. 30C Wt. 274/297 g.	Complies with EFRA. specified dimensions. Wt. 286.9 g.	02.01.13
Vampire Racing	Vampire # VR-1020		Vampire LiPo 2S 7.4v. 53.0 Wh. 70C Wt. 302/327 g.	Complies with EFRA. specified dimensions. Wt. 315.3 g.	02.01.13
Vapex Technology	VP Racing # VP95057		Vapex LiPo 2S 7.4v. 52.5 Wh. 65C Wt. 300/325 g.	Complies with EFRA. specified dimensions. Wt. 312.9 g.	02.01.13
Vapex Technology	VP Racing # VP95071		Vapex LiPo 2S 7.4v. 35.0 Wh. 65C Wt. 195/211 g.	Complies with EFRA. specified dimensions. Wt. 204.4 g.	02.01.13
Acorn Innovations	Acorn Mad Series # 1111446		Acorn LiPo 2S 7.4v. 32.6 Wh. 70C Wt. 184/199 g.	Complies with EFRA. specified dimensions. Wt. 191.9 g.	02.01.13

Corally RC BV	Corally # 48254		Corally LiPo 2S 7.4v. 51.8 Wh. 45C Wt. 302/327 g.	Complies with EFRA. specified dimensions. Wt. 315.1 g.	02.01.13
Fullymax	Fullymax # FB6000 70C JC		Fullymax LiPo 2S 7.4v. 44.4 Wh. 70C Wt. 307/332 g.	Complies with EFRA. specified dimensions. Wt. 319.5 g.	02.01.13
Fullymax	Fullymax # FB7000 45C JC		Fullymax LiPo 2S 7.4v. 51.8 Wh. 45C Wt. 307/332 g.	Complies with EFRA. specified dimensions. Wt. 325.1 g.	02.01.13
Fullymax	Fullymax # FB4600 45C JC		Fullymax LiPo 2S 7.4v. 30.1 Wh. 45C Wt. 207/224 g.	Complies with EFRA. specified dimensions. Wt. 219.6 g.	02.01.13
HUECO Handels	H-Speed # HSP-0009		H-Speed LiPo 2S 7.4v. 48.0 Wh. 80C Wt. 296/320 g.	Complies with EFRA. specified dimensions. Wt. 309.9 g.	02.01.13
HUECO Handels	H-Speed # HSP-0008		H-Speed LiPo 2S 7.4v. 33.0 Wh. 60C Wt. 195/211 g.	Complies with EFRA. specified dimensions. Wt. 206.0 g.	02.01.13
Italtrading	EZ-Power # EZP7200/2		Ital LiPo 2S 7.4v. 53.0 Wh. 70C Wt. 307/332 g.	Complies with EFRA. specified dimensions. Wt. 325.9 g.	02.01.13
nVision	nVision # NVO 1113		nVision LiPo 2S 7.4v. 59.2 Wh. 90C Wt. 301/326 g.	Complies with EFRA. specified dimensions. Wt. 308.0 g.	02.01.13
nVision	nVision # NVO 1114		nVision LiPo 2S 7.4v. 59.2 Wh. 90C Wt. w/wire 301/326 g.	Complies with EFRA. specified dimensions. Wt. w/wire 308.0 g.	02.01.13
nVision	nVision # NVO 1112		nVision LiPo 2S 7.4v. 29.6 Wh. 90C Wt. 206/223 g.	Complies with EFRA. specified dimensions. Wt. 211.5 g.	02.01.13
Shanghai Dualsky	Track & Field # 33843		Dualsky LiPo 2S 7.4v. 47.0 Wh. 75C Wt. 293/317 g.	Complies with EFRA. specified dimensions. Wt. 307.4 g.	02.01.13
Shenzhen Acepow Electronics	Gens ace # B5070002S2P HC10		Acepow LiPo 2S 7.4v. 51.8 Wh. 50C Wt. 296/320 g.	Complies with EFRA. specified dimensions. Wt. 304.1 g.	02.01.13

Advanced Energy	Thunder Power RC # TP5300-2SPR65B		Thunder Power LiPo 2S 7.4v. 39.2 Wh. 65C Wt. 286/310 g.	Length: 139.00 mm. Width: 46.75 mm. High: 23.18 mm. Wt. 299.3 g.	02.01.12.
Advanced Energy	Thunder Power RC # TP5300-2SPR65D		Thunder Power LiPo 2S 7.4v. 39.2 Wh. 65C Wt. w/wire 297/321 g.	Length: 138.20 mm. Width: 46.45 mm. High: 23.14 mm. Wt. w/wire 299.3 g.	02.01.12
Advanced Energy	Thunder Power RC # TP6000-2SPR65B		Thunder Power LiPo 2S 7.4v. 44.4 Wh. 65C Wt. 305/330 g.	Length: 138.79 mm. Width: 46.62 mm. High: 24.66 mm. Wt. 315.9 g.	02.01.12
Advanced Energy	Thunder Power RC # TP3800-2SPR65S		Thunder Power LiPo 2S 7.4v. 28.1 Wh. 65C Wt. 203/220 g.	Length: 95.18 mm. Width: 46.91 mm. High: 24.93 mm. Wt. 203.6 g.	02.01.12
Associated Electrics	Reedy # 601		Reedy LiPo 2S 7.4v. 48.0 Wh. 65C Wt. 301/326 g.	Length: 138.38 mm. Width: 46.39 mm. High: 24.87 mm. Wt. 308.7 g.	02.01.12
Associated Electrics	Reedy # 306		Reedy LiPo 2S 7.4v. 30.0 Wh. 60C Wt. 197/213 g.	Length: 92.77 mm. Width: 46.40 mm. High: 24.39 mm. Wt. 203.1 g.	02.01.12
CS-Electronic	CS Professional # C211024		CS LiPo 2S 7.4v. 53.3 Wh 75C Wt. 286/310 g.	Length: 138.45 mm. Width: 46.83 mm. High: 24.66 mm. Wt. 304.5 g.	02.01.12
Graupner	GM V-MAXX # 99017		GM LiPo 2S 7.4v. 50.3 Wh. 70C Wt. 303/327 g. 1 off Tube 3.5mm.	Length: 137.20 mm. Width: 46.27 mm. High: 24.83 mm. Wt. 317.1 g.	02.01.12
Graupner	GM V-MAXX # 99018		GM LiPo 2S 7.4v. 50.3 Wh. 70C. Wt. 303/327 g.	Length: 137.17 mm. Width: 46.23 mm. High: 24.82 mm. Wt. 316.2 g.	02.01.12
Hacker Motor	Hacker Top Fuel # 75500277		Hacker LiPo 2S 7.4v. 40.7 Wh. 90C. Wt. 282/306 g.	Length: 138.61 mm. Width: 46.66 mm. High: 24.69 mm. Wt. 295.2 g.	02.01.12
Hacker Motor	Hacker Top Fuel # 76500277		Hacker LiPo 2S 7.4v. 48.1 Wh. 90C. Wt. 296/320 g.	Length: 138.16 mm. Width: 46.44 mm. High: 24.67 mm. Wt. 301.3 g.	02.01.12
Intellect Battery	IP # CC2S6800V7		Intellect LiPo 2S 7.4v. 50.0 Wh. 70C Wt. 303/327 g.	Length: 137.26 mm. Width: 46.38 mm. High: 24.80 mm. Wt. 317.0 g.	02.01.12

Intellect Battery	IP # BG2S4400V5		Intellect LiPo 2S 7.4v. 33.0 Wh. 50C Wt. 211/229 g.	Length: 95.77 mm. Width: 46.55 mm. High: 24.71 mm. Wt. 218.4 g.	02.01.12
VTEC	VTEC # 79835		LRP LiPo 2S 7.4v. 40.0 Wh. 30C Wt. 259/281 g.	Length: 138.23 mm. Width: 46.47 mm. High: 24.90 mm. Wt. 266.1 g. Has chassis location.	02.01.12
VTEC	VTEC Big Mama. # 79841		LRP LiPo 2S 7.4v. 49.6 Wh. 55C Wt. 310/336 g.	Length: 138.21 mm. Width: 46.35 mm. High: 24.91 mm. Wt. 323.0 g. Has chassis location.	02.01.12
VTEC	VTEC # 79840		LRP LiPo 2S 7.4v. 51.1 Wh. 50C Wt. 305/330 g.	Length: 138.10 mm. Width: 46.57 mm. High: 25.06 mm. Wt. 315.8 g. Has chassis location.	02.01.12
VTEC	VTEC # 79845		LRP LiPo 2S 7.4v. 32.6 Wh. 55C Wt. 213/230 g.	Length: 96.02 mm. Width: 46.61 mm. High: 24.74 mm. Wt. 217.6 g.	02.01.12
Team ORION	ORION Carbon Pro WTS # ORI 14053		Orion LiPo 2S 7.4v. 29.6 Wh. 90C Wt. 203/219 g.	Length: 138.41 mm. Width: 46.06 mm. High: 24.61 mm. Wt. 203.7 g.	02.01.12
VTEC	Nosram X-treme Race # 99926		Nosram LiPo 2S 7.4v. 40.0 Wh. 30C Wt. 256/277 g.	Length: 138.20 mm. Width: 46.40 mm. High: 24.94 mm. Wt. 266.5 g. Has chassis location.	02.01.12
VTEC	Nosram X-treme Race Big Mama # 99938		Nosram LiPo 2S 7.4v. 49.6 Wh. 55C Wt. 310/336 g.	Length: 138.29 mm. Width: 46.44 mm. High: 25.00 mm. Wt. 323.3 g. Has chassis location.	02.01.12
VTEC	Nosram X-treme Race # 99937		Nosram LiPo 2S 7.4v. 51.1 Wh. 50C Wt. 302/327 g.	Length: 138.07 mm. Width: 46.29 mm. High: 25.05 mm. Wt. 313.5 g. Has chassis location.	02.01.12
VTEC	Nosram X-treme Race # 99942		Nosram LiPo 2S 7.4v. 32.6 Wh. 55C Wt. 210/227 g.	Length: 95.99 mm. Width: 46.66 mm. High: 24.80 mm. Wt. 218.6 g.	02.01.12
RFI Battery	RFI # 7353		RFI LiPo 2S 7.4v. 43.66 Wh. 60C Wt. 302/326 g.	Length: 137.83 mm. Width: 45.97 mm. High: 24.79 mm. Wt. 314.3 g.	02.01.12
RFI Battery	RFI # 7352		RFI LiPo 2S 7.4v. 44.4 Wh. 50C Wt. 304/328 g.	Length: 137.73 mm. Width: 46.02 mm. High: 24.84 mm. Wt. 309.2 g.	02.01.12

RFI Battery	RFI # 7347		RFI LiPo 2S 7.4v. 48.1 Wh. 20C Wt. 294/318 g.	Length: 137.68 mm. Width: 45.92 mm. High: 24.75 mm. Wt. 310.9 g.	02.01.12
Robitronic Electronic	Robitronic # RO5245		Robitronic LiPo 2S 7.4v. 44.4 Wh. 70C Wt. 305/330 g.	Length: 138.21 mm. Width: 45.96 mm. High: 24.65 mm. Wt. 317.4 g.	02.01.12
Shenzhen Acepow Electronics	Gens ace # ACE40-5000-0201B		Acepow LiPo 2S 7.4v. 37.0 Wh. 40C Wt. 271/293 g.	Length: 138.74 mm. Width: 46.88 mm. High: 24.54 mm. Wt. 282.6 g.	02.01.12
Shenzhen Acepow Electronics	Gens ace # ACE50-5000-0201B		Acepow LiPo 2S 7.4v. 37.0 Wh. 50C Wt. 282/305 g.	Length: 138.68 mm. Width: 46.69 mm. High: 24.83 mm. Wt. 294.9 g.	02.01.12
Shenzhen Acepow Electronics	Gens ace # ACE50-6500-0201B		Acepow LiPo 2S 7.4v. 48.1 Wh. 50C Wt. 283/306 g.	Length: 138.62 mm. Width: 46.84 mm. High: 24.55 mm. Wt. 295.5 g.	02.01.12
Vampire Racing	Vampire # VR-1018		Vampire LiPo 2S 7.4v. 50.0 Wh. 70C Wt. 302/327 g.	Length: 137.19 mm. Width: 46.35 mm. High: 24.86 mm. Wt. 315.3 g.	02.01.12
Vampire Racing	Vampire # VR-1019		Vampire LiPo 2S 7.4v. 33.0 Wh. 50C Wt. 212/228 g.	Length: 95.85 mm. Width: 46.52 mm. High: 24.68 mm. Wt. 217.5 g.	02.01.12
Vapex Technology	VP Racing # VP94111		Vapex LiPo 2S 7.4v. 29.5 Wh. 40C Wt. w/wire 206/223 g.	Length: 136.36 mm. Width: 46.24 mm. High: 24.34 mm. Wt. w/wire 214.1 g.	02.01.12
Vapex Technology	VP Racing # VP94500		Vapex LiPo 2S 7.4v. 37.0 Wh. 50C Wt. 260/281 g.	Length: 138.05 mm. Width: 46.41 mm. High: 24.65 mm. Wt. 269.9 g.	02.01.12
Vapex Technology	VP # VP94272		Vapex LiPo 2S 7.4v. 45.0 Wh. 65C Wt. 293/317 g.	Length: 138.43 mm. Width: 46.49 mm. High: 24.57 mm. Wt. 305.3 g.	02.01.12
Vapex Technology	VP # VP94241		Vapex LiPo 2S 7.4v. 48.0 Wh. 50C Wt. 303/328 g.	Length: 138.42 mm. Width: 46.17 mm. High: 24.82 mm. Wt. 315.2 g.	02.01.12
Acorn Innovations	Acorn Mad Series # 1111657		Acorn LiPo 2S 7.4v. 48.1 Wh. 80C Wt. 293/317 g.	Length: 138.90 mm. Width: 46.75 mm. High: 24.89 mm. Wt. 305.3 g.	02.01.12

Advanced Electronics	Advanced Elec. # ADV3111		Advanced LiPo 2S 7.4v. 45.0 Wh. 60C Wt. 293/317 g.	Length: 137.28 mm. Width: 46.40 mm. High: 24.98 mm. Wt. 307.1 g.	02.01.12
Corally RC BV	Corally # 48253		Corally LiPo 2S 7.4v. 45.88 Wh. 55C Wt. 301/326 g.	Length: 138.45 mm. Width: 46.75 mm. High: 24.66 mm. Wt. 313.5 g.	02.01.12
Framega	TORKE # 657074		Framega LiPo 2S 7.4v. 48.1 Wh. 70C Wt. 303/328 g.	Length: 137.25 mm. Width: 46.44 mm. High: 24.81 mm. Wt. 315.0 g.	02.01.12
Fullymax	Fullymax # FB6500XT-2S2P-C-JC		Fullymax LiPo 2S 7.4v. 48.1 Wh. 25C Wt. 306/331 g.	Length: 138.61 mm. Width: 46.69 mm. High: 24.75 mm. Wt. 323.5 g.	02.01.12
Italtrading	EZ-Power # EZP6200/2		Ital LiPo 2S 7.4v. 45.8 Wh. 60C Wt. 303/328 g.	Length: 137.25 mm. Width: 46.44 mm. High: 24.81 mm. Wt. 315.0 g.	02.01.12
Muchmore Racing	Muchmore Impact # MLI-IH6800Z		Muchmore LiPo 2S 7.4v. 50.3 Wh. 70C Wt. 303/328 g.	Length: 137.16 mm. Width: 46.59 mm. High: 24.84 mm. Wt. 316.4 g.	02.01.12
Muchmore Racing	Muchmore Boomerang # BMR-FH6800		Muchmore LiPo 2S 7.4v. 50.3 Wh. 70C Wt. 303/328 g.	Length: 137.22 mm. Width: 46.28 mm. High: 24.78 mm. Wt. 315.5 g.	02.01.12
Netkom SRL	Lipotech XR # BA928		Lipotech LiPo 2S 7.4v. 40.0 Wh. 70C Wt. 296/320 g.	Length: 138.39 mm. Width: 46.43 mm. High: 24.96 mm. Wt. 311.4 g.	02.01.12
Tianco	ORCA Infinite # OB6880IH		Tianco LiPo 2S 7.4v. 48.4 Wh. 70C Wt. 303/328 g.	Length: 137.53 mm. Width: 45.75 mm. High: 24.85 mm. Wt. 316.2 g.	02.01.12
BATERIAS APROVADAS EM 2011 VÁLIDAS PARA EVENTOS FEPA EM 2014					
Advanced Energy	Thunder Power RC # TP5300-2SPR65B		Thunder Power LiPo 2S 7.4v. 5300 mah. 65C Wt. 280/304 g.	Length: 137.72 mm. Width: 46.44 mm. High: 23.15 mm. Wt. 293.8 g.	02.01.2011
Advanced Energy	Thunder Power RC # TP5300-2SPR65D		Thunder Power LiPo 2S 7.4v. 5300 mah. 65C Wt. w/wire 297/321 g.	Length: 138.98 mm. Width: 46.84 mm. High: 23.33 mm. Wt. w/wire 298.9 g.	02.01.2011
Advanced Energy	Thunder Power RC # TP6000-2SPR65B		Thunder Power LiPo 2S 7.4v. 6000 mah. 65C Wt. 288/312 g.	Length: 138.76 mm. Width: 46.75 mm. High: 24.65 mm. Wt. 300.7 g.	02.01.2011

Associated Electrics	Reedy # 628		Reedy LiPo 2S 7.4v. 5500 mah. 60C Wt. 291/315 g.	Length: 138.34 mm. Width: 46.49 mm. High: 24.70 mm. Wt. 303.7 g	02.01.2011
Bionic Batteries	Bionic # BCS35- 5000-0201		Bionic LiPo 2S 7.4v. 5000 mah. 35C Wt. 262/284 g.	Length: 137.97 mm. Width: 46.16 mm. High: 23.21 mm. Wt. 277.0 g	02.01.2011
Bionic Batteries	Bionic # BCS50- 5000-0201		Bionic LiPo 2S 7.4v. 5000 mah. 50C Wt. 278/302 g.	Length: 138.06 mm. Width: 46.19 mm. High: 23.12 mm. Wt. 287.1 g	02.01.2011
Bionic Batteries	Bionic # BCS50- 5400-0201		Bionic LiPo 2S 7.4v. 5400 mah. 50C Wt. 290/314 g.	Length: 138.33 mm. Width: 46.19 mm. High: 24.77 mm. Wt. 304.9 g	02.01.2011
CS- Electronic	CS Professional # C211018		CS LiPo 2S 7.4v. 29.6 Wh 40C Wt. 211/229 g.	Length: 138.33 mm. Width: 46.71 mm. High: 23.52 mm. Wt. 212.4 g	02.01.2011
CS- Electronic	CS Professional # C211020		CS LiPo 2S 7.4v. 39.9 Wh 50C Wt. 269/291 g.	Length: 138.62 mm. Width: 46.77 mm. High: 24.77 mm. Wt. 278.8 g	02.01.2011
CS- Electronic	CS Professional # C211021		CS LiPo 2S 7.4v. 44.4 Wh 70C Wt. 308/332 g.	Length: 138.28 mm. Width: 46.23 mm. High: 24.68 mm. Wt. 326.8 g	02.01.2011
Graupner	GM V-MAXX # 99012		GM LiPo 2S 7.4v. 5800 mah. 60C Wt. 279/301 g. 1 off Tube 3.5mm.	Length: 137.33 mm. Width: 46.32 mm. High: 23.19 mm. Wt. 289.2 g.	02.01.2011
Graupner	GM V-MAXX # 99013		GM LiPo 2S 7.4v. 5800 mah. 60C. Wt. 279/301 g.	Length: 137.34 mm. Width: 46.28 mm. High: 23.23 mm. Wt. 288.4 g.	02.01.2011
Graupner	GM V-MAXX # 99010		GM LiPo 2S 7.4v. 6200 mah. 60C Wt. 293/317 g. 1 off Tube 3.5mm.	Length: 137.07 mm. Width: 46.22 mm. High: 24.97 mm. Wt. 304.4 g.	02.01.2011
Graupner	GM V-MAXX # 99011		GM LiPo 2S 7.4v. 6200 mah. 60C Wt. 293/317 g.	Length: 137.24 mm. Width: 46.33 mm. High: 24.95 mm. Wt. 303.6 g.	02.01.2011
Intellect Battery	IP # RB2S3800V5		Intellect LiPo 2S 7.4v. 3800 mah. 50C Wt. 202/218 g.	Length: 137.51 mm. Width: 46.43 mm. High: 23.87 mm. Wt. 207.4 g	02.01.2011













Intellect Battery	IP # CC2S5800V6		Intellect LiPo 2S 7.4v. 5800 mah. 60C Wt. 279/301 g.	Length: 137.12 mm. Width: 46.27 mm. High: 23.17 mm. Wt. 290.1 g	02.01.2011
Intellect Battery	IP # CC2S6200V6		Intellect LiPo 2S 7.4v. 6200 mah. 60C Wt. 293/317 g.	Length: 137.06 mm. Width: 46.39 mm. High: 24.88 mm. Wt. 304.7 g	02.01.2011
LRP	LRP Hyper Pack. # 79898		LRP LiPo 2S 7.4v. 34.1 Wh. 30C Wt. 208/224 g.	Length: 137.79 mm. Width: 46.37 mm. High: 22.83 mm. Wt. 216.5 g Has chassis location.	02.01.2011
VTEC	VTEC Fat Cobra. # 79885		LRP LiPo 2S 7.4v. 45.9 Wh. 65C Wt. 294/318 g.	Length: 138.84 mm. Width: 46.76 mm. High: 24.97 mm. Wt. 306.7 g Has chassis location.	02.01.2011
VTEC	VTEC Big Mama. # 79886		LRP LiPo 2S 7.4v. 45.9 Wh. 65C Wt. 295/319 g.	Length: 137.96 mm. Width: 46.25 mm. High: 24.98 mm. Wt. 307.2 g Has chassis location.	02.01.2011
Modern Creations	Team Silverback Sapphire # 6200602SIN		Team Silverback LiPo 2S 7.4v. 6200 mah. 60C Wt. 306/330 g.	Length: 138.51 mm. Width: 46.44 mm. High: 24.77 mm. Wt. 309.4 g	02.01.2011
VTEC	Nosram X-treme Race Fat Cobra # 99950		Nosram LiPo 2S 7.4v. 45.9 Wh. 65C Wt. 295/319 g.	Length: 138.91 mm. Width: 46.80 mm. High: 24.97 mm. Wt. 307.0 g Has chassis location.	02.01.2011
VTEC	Nosram X-treme Race Big Mama # 99951		Nosram LiPo 2S 7.4v. 45.9 Wh. 65C Wt. 295/319 g.	Length: 137.96 mm. Width: 46.25 mm. High: 24.98 mm. Wt. 308.3 g Has chassis location.	02.01.2011
Robitronic Electronic	Robitronic # RO5240		Robitronic LiPo 2S 7.4v. 5500 ?? 60C Wt. 283/307 g.	Length: 138.28 mm. Width: 46.11 mm. High: 23.17 mm. Wt. 298.5 g	02.01.2011
Robitronic Electronic	Robitronic # RO5241		Robitronic LiPo 2S 7.4v. 6000 ?? 60C Wt. 315/341 g.	Length: 138.35 mm. Width: 46.12 mm. High: 24.71 mm. Wt. 327.5 g	02.01.2011
Superior Matching Concept	SMC C-Max # 6060CMI		SMC LiPo 2S 7.4v. 6000 mah. 60C Wt. 312/336 g.	Length: 138.61 mm. Width: 46.70 mm. High: 24.97 mm. Wt. 322.5 g.	02.01.2011
Team ORION	ORION Carbon Pro # ORI14043		Orion LiPo 2S 7.4v. 37.0 Wh. 90C Wt. 273/295 g.	Length: 138.46 mm. Width: 46.68 mm. High: 24.81 mm. Wt. 285.4 g.	02.01.2011

Team ORION	ORION Carbon Pro # ORI14040		Orion LiPo 2S 7.4v. 37.0 Wh. 90C Wt. w/wire 283/307 g.	Length: 138.75 mm. Width: 46.59 mm. High: 24.63 mm. Wt. w/wire 297.4 g.	02.01.2011
Team ORION	ORION Carbon Pro # ORI14044		Orion LiPo 2S 7.4v. 40.7 Wh. 90C Wt. 277/301 g.	Length: 138.45 mm. Width: 46.50 mm. High: 24.80 mm. Wt. 288.4 g.	02.01.2011
Team ORION	ORION Carbon Pro # ORI14041		Orion LiPo 2S 7.4v. 40.7 Wh. 90C Wt. w/wire 286/310 g.	Length: 138.50 mm. Width: 46.51 mm. High: 24.72 mm. Wt. w/wire 301.3 g.	02.01.2011
Team ORION	ORION Carbon Pro # ORI14045		Orion LiPo 2S 7.4v. 48.1 Wh. 90C Wt. 279/303 g. Wt 2012 303/328 g.	Length: 138.20 mm. Width: 46.22 mm. High: 23.96 mm. Wt. 287.4 g. Wt. 2012 306.0 g.	02.01.2011 02.01.12
Team ORION	ORION Carbon Pro # ORI14042		Orion LiPo 2S 7.4v. 48.1 Wh. 90C Wt. w/wire 289/313 g. Wt. 2012 298/322 g.	Length: 138.46 mm. Width: 46.64 mm. High: 24.59 mm. Wt. w/wire 299.8 g. Wt. 2012 312.0 g.	02.01.2011 02.01.12
nVision	nVision # NV1104		nVision LiPo 2S 7.4v. 5500 mah. 60C Wt. w/wire 277/301 g.	Length: 138.10 mm. Width: 46.20 mm. High: 24.11 mm. Wt. w/wire 289.8 g.	02.01.2011
nVision	nVision # NV1100		nVision LiPo 2S 7.4v. 6400 mah. 90C Wt. 287/311 g.	Length: 138.39 mm. Width: 46.46 mm. High: 24.64 mm. Wt. 288.6 g.	02.01.2011
Tianco	ORCA Infinite # OB5860IH		Tianco LiPo 2S 7.4v. 5500 mah. 60C Wt. 278/302 g.	Length: 137.35 mm. Width: 46.45 mm. High: 23.34 mm. Wt. 289.8 g.	02.01.2011
Tianco	ORCA Infinite # OB6260IH		Tianco LiPo 2S 7.4v. 6000 mah. 60C Wt. 293/317 g.	Length: 137.26 mm. Width: 46.53 mm. High: 24.95 mm. Wt. 305.4 g.	02.01.2011
Vampire Racing	Vampire # VR-1016		Vampire LiPo 2S 7.4v. 6200 mah. 60C Wt. 293/317 g.	Length: 137.28 mm. Width: 46.46 mm. High: 24.59 mm. Wt. 304.0 g.	02.01.2011
Vapex Tech.	VP # VP93695		Vapex LiPo 2S 7.4v. 5900 mah. 50C Wt. 297/321 g.	Length: 137.39 mm. Width: 46.25 mm. High: 24.86 mm. Wt. 297.3 g.	02.01.2011
Enrichpower	EP # 600050		EP LiPo 2S 7.4v. 6000 mah. 50C Wt. 297/321 g.	Length: 138.05 mm. Width: 46.51 mm. High: 24.78 mm. Wt. 308.5 g.	02.01.2011

Fullymax	Fullymax # FB5600XT-2S2P-C-JC		Fullymax LiPo 2S 7.4v. 5600 mah. 55C Wt. 303/327 g.	Length: 137.76 mm. Width: 46.37 mm. High: 24.86 mm. Wt. 311.4 g.	02.01.2011
Fullymax	Fullymax # FB6000XT-2S2P-C-WB		Fullymax LiPo 2S 7.4v. 6000 mah. 55C Wt. w/wire 315/339 g.	Length: 138.43 mm. Width: 46.44 mm. High: 24.91 mm. Wt. w/wire 330.4 g.	02.01.2011
Italtrading	EZ-Power # EZP5700/2		Ital LiPo 2S 7.4v. 5700 mah. ? C Wt. 288/312 g.	Length: 137.37 mm. Width: 46.41 mm. High: 24.84 mm. Wt. 303.8 g.	02.01.2011
RC Plus	Python Plus # RC-PPC35-5000-2S1P		RC Plus LiPo 2S 7.4v. 5000 mah. 35C Wt. 265/287 g.	Length: 138.00 mm. Width: 46.20 mm. High: 23.20 mm. Wt. 276.5 g.	02.01.2011
RC Plus	Python Plus # RC-PPC50-5000-2S1P		RC Plus LiPo 2S 7.4v. 5000 mah. 50C Wt. 278/302 g.	Length: 137.93 mm. Width: 46.04 mm. High: 23.29 mm. Wt. 289.0 g.	02.01.2011
RC Plus	Python Plus # RC-PPC50-5400-2S1P		RC Plus LiPo 2S 7.4v. 5400 mah. 60C Wt. 290/314 g.	Length: 138.26 mm. Width: 46.39 mm. High: 24.86 mm. Wt. 301.5 g.	02.01.2011
Team Powers	Team Powers # TP-6200-60C-2S		Team Powers LiPo 2S 7.4v. 6200 mah. 60C Wt. 293/317 g.	Length: 137.16 mm. Width: 46.27 mm. High: 24.85 mm. Wt. 305.1 g.	02.01.2011
Xcelorin	Xcelorin # LOSB9880		SMC LiPo 2S 7.4v. 3800 mah. 60C Wt. 197/213 g.	Length: 95.57 mm. Width: 46.31 mm. High: 24.80 mm. Wt. 204.5 g.	02.01.2011
Xcelorin	Xcelorin # LOSB9877		SMC LiPo 2S 7.4v. 6000 mah. 60C Wt. 308/332 g.	Length: 138.63 mm. Width: 46.59 mm. High: 24.73 mm. Wt. 319.7 g.	02.01.2011
João Martinho (Delegado Elétricos)					29.01.2014

BATERIAS APROVADAS EM 2010 VÁLIDAS PARA EVENTOS FEPA EM 2014

VTEC	LRP Competition car line. # 79867		LRP LiPo 2S 7.4v. 5300. 30C	Length: 137.26 mm. Width: 46.04 mm. High: 23.53 mm. Wt. 267.3 g Has chassis location.	17.01.2010
VTEC	LRP Competition car line. # 79875		LRP LiPo 2S 7.4v. 5600. 50C	Length: 138.68 mm. Width: 46.33 mm. High: 25.10 mm. Wt. 301.8 g Has chassis location.	17.01.2010
VTEC	LRP Competition car line. # 79876		LRP LiPo 2S 7.4v. 5900. 50C	Length: 138.44 mm. Width: 46.43 mm. High: 24.99 mm. Wt. 291.7 g Has chassis location.	17.01.2010
ORION	ORION Carbon # ORI14030		Orion LiPo 2S 7.4v. 4600. 45C	Length: 138.43 mm. Width: 46.32 mm. High: 24.78 mm. Wt. 284.0 g.	17.01.2010
ORION	ORION Carbon # ORI14022		Orion LiPo 2S 7.4v. 4600. 45C	Length: 138.16 mm. Width: 46.08 mm. High: 24.71 mm. Wt. inc. wire 252.7 g.	17.01.2010
ORION	ORION Carbon # ORI14029		Orion LiPo 2S 7.4v. 5000. 45C	Length: 138.50 mm. Width: 46.12 mm. High: 24.77 mm. Wt. 272.8 g.	17.01.2010
ORION	ORION Carbon # ORI14021		Orion LiPo 2S 7.4v. 5000. 45C	Length: 138.34 mm. Width: 46.17 mm. High: 24.66 mm. Wt. inc. wire 283.7 g.	17.01.2010
ORION	ORION Carbon # ORI14028		Orion LiPo 2S 7.4v. 5400. 45C	Length: 138.42 mm. Width: 46.37 mm. High: 24.83 mm. Wt. 284.3 g.	17.01.2010
ORION	ORION Carbon # ORI14020		Orion LiPo 2S 7.4v. 5400. 45C	Length: 138.49 mm. Width: 46.24 mm. High: 24.71 mm. Wt. inc. wire 296.6 g.	17.01.2010
Xceed	Xceed Race Pack # 105113		Xceed LiPo 2S 7.4v. 5000 mah. 40C	Length: 137.28 mm. Width: 46.38 mm. High: 22.83 mm. Wt. 264.0 g Has chassis location.	17.01.2010
Superior Matching Concept	SMC C-Max # 5250CMI		SMC LiPo 2S 7.4v. 5200 mah. 50C Can be Black case same Pt. #	Length: 138.17 mm. Width: 46.05 mm. High: 23.45 mm. Wt. 271.7 g.	17.01.2010

Graupner	GM V-MAXX # 99002		GM LiPo 2S 7.4v. 4200 mah. 45C 1 off Tube 3.5mm.	Length: 137.30 mm. Width: 46.32 mm. High: 21.04 mm. Wt. 241.0 g.	17.01.2010
Graupner	GM V-MAXX # 99003		GM LiPo 2S 7.4v. 5400 mah. 45C Case Black or C/Fibre	Length: 137.31 mm. Width: 46.36 mm. High: 23.30 mm. Wt. 278.6 g.	17.01.2010
Graupner	GM V-MAXX # 98997		GM LiPo 2S 7.4v. 5400 mah. 45C 1 off Tube 3.5mm. Case Black or C/Fibre	Length: 137.31 mm. Width: 46.37 mm. High: 23.26 mm. Wt. 278.7 g.	17.01.2010
Graupner	GM V-MAXX # 99000		GM LiPo 2S 7.4v. 5400 mah. 50C Case Black or C/Fibre	Length: 137.20 mm. Width: 46.44 mm. High: 24.95 mm. Wt. 301.6 g.	17.01.2010
Graupner	GM V-MAXX # 98998		GM LiPo 2S 7.4v. 5400 mah. 50C 1 off Tube 3.5mm. Case Black or C/Fibre	Length: 137.31 mm. Width: 46.39 mm. High: 24.93 mm. Wt. 301.6 g.	17.01.2010
First Strong	Speed Power # SLR5545H		Speedpower LiPo 2S 7.4v. 5300 mah. 45C	Length: 137.35 mm. Width: 46.31 mm. High: 23.00 mm. Wt. 264.1 g. Has chassis location	17.01.2010 Part # corrected. 14.04.10
Advanced Energy	Thunder Power RC # TP5200-2SPR50		Thunder Power LiPo 2S 7.4v. 5200 mah. 50C	Length: 138.05 mm. Width: 46.49 mm. High: 23.21 mm. Wt. inc. wire 303.5 g.	17.01.2010
Advanced Energy	Thunder Power RC # TP5400-2SSR		Thunder Power LiPo 2S 7.4v. 5400 mah. 25C	Length: 137.83 mm. Width: 46.67 mm. High: 23.12 mm. Wt. inc. wire 291.9 g.	17.01.2010
Robitronic Electronic	Robitronic # RO5215		Robitronic LiPo 2S 7.4v. 5000 50C	Length: 137.92 mm. Width: 46.34 mm. High: 23.62 mm. Wt. 294.8 g	17.01.2010
Robitronic Electronic	Robitronic # RO5216		Robitronic LiPo 2S 7.4v. 5400 50C	Length: 138.46 mm. Width: 46.48 mm. High: 25.09 mm. Wt. 319.2 g	17.01.2010
Associated Electrics	Reedy # 685		Reedy LiPo 2S 7.4v. 5000 mah. 40C	Length: 138.66 mm. Width: 46.71 mm. High: 23.10 mm. Wt. 285.5 g	17.01.2010
Desire Power	Desire Power V6 # DPC5000XP45		Desire Power LiPo 2S 7.4v. 5000 mah. 45C	Length: 138.08 mm. Width: 46.71 mm. High: 24.70 mm. Wt. 281.5 g	17.01.2010

Flextech	Flextech # FT- CB500045P-2		Flextech LiPo 2S 5000 mah.	7.4v. 45C	Length: 138.98 mm. Width: 46.63 mm. High: 23.86 mm. Wt. 274.3 g	17.01.2010
Intellect Battery	IP # CC2S4200V5		Intellect LiPo 2S 4200 mah.	7.4v. 50C	Length: 137.23 mm. Width: 46.44 mm. High: 21.19 mm. Wt. 241.8 g	17.01.2010
Intellect Battery	IP # CC2S5000V5		Intellect LiPo 2S 5000 mah.	7.4v. 50C	Length: 137.21 mm. Width: 46.34 mm. High: 23.02 mm. Wt. 278.1 g	17.01.2010
Intellect Battery	IP # CC2S5600V5		Intellect LiPo 2S 5600 mah.	7.4v. 50C	Length: 137.13 mm. Width: 46.47 mm. High: 25.03 mm. Wt. 304.8 g	17.01.2010
Muchmore	Impact # MLI-IH4000		Muchmore LiPo 2S 4400	7.4v. 50C	Length: 137.31 mm. Width: 46.39 mm. High: 21.13 mm. Wt. 241.4 g	17.01.2010
Muchmore	Impact # MLI-IH5200		Muchmore LiPo 2S 5200	7.4v. 50C	Length: 137.34 mm. Width: 46.30 mm. High: 23.03 mm. Wt. 279.0 g	17.01.2010
Muchmore	Impact # MLI-IH5600		Muchmore LiPo 2S 5600	7.4v. 50C	Length: 137.28 mm. Width: 46.44 mm. High: 24.89 mm. Wt. 301.7 g	17.01.2010
Shenzhen Ryder Elec.	Rydbatt # 8543128		Shenzhen Ryder LiPo 2S 3800 mah.	7.4v. 35C	Length: 137.57 mm. Width: 46.12 mm. High: 23.02 mm. Wt. 242.3 g Has chassis location	17.01.2010
Shenzhen Ryder Elec.	Rydbatt # 9543128		Shenzhen Ryder LiPo 2S 5000 mah.	7.4v. 25C	Length: 137.21 mm. Width: 46.09 mm. High: 23.11 mm. Wt. 273.4 g Has chassis location	17.01.2010
Shenzhen Ryder Elec.	Rydbatt # 9843128		Shenzhen Ryder LiPo 2S 5000 mah.	7.4v. 30C	Length: 137.32 mm. Width: 46.09 mm. High: 22.97 mm. Wt. 278.7 g Has chassis location	17.01.2010
Yuntong	Yuntong # YT90068		Yuntong LiPo 2S 5000 mah.	7.4v. 40C	Length: 137.09 mm. Width: 45.37 mm. High: 23.22 mm. Wt. 287.7 g	17.01.2010
Yuntong	Yuntong # YT90092		Yuntong LiPo 2S 5000 mah.	7.4v. 50C	Length: 137.28 mm. Width: 45.37 mm. High: 23.22 mm. Wt. 291.2 g	17.01.2010













Yuntong	Yuntong # YT90108		Yuntong LiPo 2S 5400 mah.	7.4v. 50C	Length: 138.29 mm. Width: 46.55 mm. High: 25.08 mm. Wt. 316.1 g	17.01.2010
Arrowind Hobby Co.	Team Arrowind # 20017		Arrowind LiPo 2S 5000	7.4v. 40C	Length: 137.20 mm. Width: 46.30 mm. High: 22.86 mm. Wt. 264.6 g Has chassis location	17.01.2010
Bionic Batteries	Bionic # BCS45-5000-0201		Bionic LiPo 2S 5000 mah.	7.4v. 45C	Length: 138.27 mm. Width: 46.36 mm. High: 24.84 mm. Wt. 277.2 g	17.01.2010 Part # corrected 01.02.2010
Corally RC BV	Team Corally # 48252		Corally LiPo 2S 5200 mah.	7.4v. 40C	Length: 138.67 mm. Width: 46.29 mm. High: 22.93 mm. Wt. 282.7 g	17.01.2010
CS-Electronic	CS Factory Professional #C211009		CS LiPo 2S 5200	7.4v. 40C	Length: 137.05 mm. Width: 45.30 mm. High: 23.38 mm. Wt. 283.9 g	17.01.2010
Enrichpower	EP # EP5542125H45		EP LiPo 2S 5200 mah.	7.4v. 45C	Length: 137.65 mm. Width: 46.03 mm. High: 23.71 mm. Wt. 274.5 g	17.01.2010
Enerland	Enerland # PQ-5000RXQ		Enerland LiPo 2S 5000 mah.	7.4v. 30C	Length: 138.14 mm. Width: 46.73 mm. High: 24.20 mm. Wt. inc. wire 304.4 g.	17.01.2010
Italtrading	EZ-Power # EZP5400/2-HP		Ital LiPo 2S 5400 mah.	7.4v. 50C	Length: 137.20 mm. Width: 46.44 mm. High: 24.95 mm. Wt. 302.5 g	17.01.2010
VTEC	Nosram X-treme Race # 99945		Nosram LiPo 2S 5600	7.4v. 50C	Length: 138.59 mm. Width: 46.20 mm. High: 24.86 mm. Wt. 298.7 g Has chassis location	17.01.2010
VTEC	Nosram X-treme Race # 99946		Nosram LiPo 2S 5900	7.4v. 50C	Length: 138.57 mm. Width: 46.29 mm. High: 24.99 mm. Wt. 288.2 g Has chassis location	17.01.2010
Moore-speed	Moore-speed # MS-B7403		Moore speed LiPo 2S 5000 mah.	7.4v. 50C	Length: 138.18 mm. Width: 46.22 mm. High: 24.73 mm. Wt. 269.9 g	17.01.2010
Moore-speed	Moore-speed # MS-B7404		Moore speed LiPo 2S 5000 mah.	7.4v. 50C	Length: 138.27 mm. Width: 46.15 mm. High: 24.71 mm. Wt. inc. wire 285.2 g.	17.01.2010

Moore-speed	Moore-speed # MS-B7401		Moore speed LiPo 2S 7.4v. 5600 mah. 50C	Length: 138.23 mm. Width: 46.18 mm. High: 24.78 mm. Wt. 274.2 g	17.01.2010
Moore-speed	Moore-speed # MS-B7402		Moore speed LiPo 2S 7.4v. 5600 mah. 50C	Length: 138.31 mm. Width: 46.07 mm. High: 24.71 mm. Wt. inc. wire 291.9 g.	17.01.2010
Racing Art	Alien power # AP5000		Racing Art LiPo 2S 7.4v. 5000 mah. 40C	Length: 138.11 mm. Width: 46.31 mm. High: 24.00 mm. Wt. 280.5 g	17.01.2010
Vampire Racing	Vampire # VR-1010		Vampire LiPo 2S 7.4v. 5000 mah. 40C	Length: 137.16 mm. Width: 46.11 mm. High: 22.82 mm. Wt. 264.6 g Has chassis location	17.01.2010
Vampire Racing	Vampire # VR-1011		Vampire LiPo 2S 7.4v. 5000 mah. 40C	Length: 136.96 mm. Width: 45.03 mm. High: 23.34 mm. Wt. 281.2 g	17.01.2010
Vapex Tech.	VP # VP5243128 SH45C		Vapex LiPo 2S 7.4v. 5000 mah. 45C	Length: 137.66 mm. Width: 46.03 mm. High: 23.97 mm. Wt. 280.4 g	17.01.2010
Victory Battery	VB #VB-5000 H40C		Victory LiPo 2S 7.4v. 5000 mah. 40C	Length: 138.29 mm. Width: 46.36 mm. High: 24.00 mm. Wt. 282.1 g	17.01.2010

BATERIAS APROVADAS EM 2009 VÁLIDAS PARA EVENTOS FEPA EM 2014

VTEC	LRP Competition car line. # 79862		LRP LiPo 2S 7.4v. 5300. 28C	Length: 137.50 mm. Width: 46.20 mm. High: 23.44 mm. Wt. 281.7 g Has chassis location.	16.02.2009
VTEC	LRP Competition car line. # 79868		LRP LiPo 2S 7.4v. 5300. 40C	Length: 137.34 mm. Width: 46.04 mm. High: 23.48 mm. Wt. 269.3 g Has chassis location.	16.02.2009
ORION	ORION Experience #ORI14007		Orion LiPo 2S 7.4v. 2400 mah. 20C	Length: 137.30 mm. Width: 46.60 mm. High: 20.54 mm. Wt. 148.3 g Has chassis location	16.02.2009
ORION	ORION Race Spec. #ORI14008		Orion LiPo 2S 7.4v. 3400 mah. 25C	Length: 137.50 mm. Width: 46.82 mm. High: 20.96 mm. Wt. 197.3 g Has chassis location	16.02.2009
ORION	ORION Race Spec. #ORI14009		Orion LiPo 2S 7.4v. 3800 mah. 30C	Length: 137.40 mm. Width: 46.72 mm. High: 20.91 mm. Wt. 228.6 g Has chassis location	16.02.2009

ORION	ORION Platinum Two #ORI14010		Orion LiPo 2S 7.4v. 5000 mah. 20C	Length: 136.70 mm. Width: 44.92 mm. High: 22.81 mm. Wt. 256.7 g	16.02.2009
VTEC	NOSRAM X-Treme Race # 99969		Nosram LiPo 2S 7.4v. 5300. 28C	Length: 137.40 mm. Width: 46.20 mm. High: 23.49 mm. Wt. 283.9 g Has chassis location	16.02.2009
VTEC	NOSRAM X-Treme Race # 99971		Nosram LiPo 2S 7.4v. 5300. 40C	Length: 137.07 mm. Width: 46.11 mm. High: 23.47 mm. Wt. 268.2 g Has chassis location	16.02.2009
Superior Matching Concept	SMC Sport Max # 4740CM		SMC LiPo 2S 7.4v. 4700 mah. 40C	Length: 138.36 mm. Width: 46.63 mm. High: 21.86 mm. Wt. 252.3 g Has chassis location	16.02.2009
Superior Matching Concept	SMC C-Max # 5028SM		SMC LiPo 2S 7.4v. 5000 mah. 28C	Length: 138.48 mm. Width: 46.60 mm. High: 21.94 mm. Wt. 249.3 g Has chassis location	16.02.2009
GM Racing	GM V-MAXX # 98982		GM LiPo 2S 7.4v. 4000 mah. 35C	Length: 137.20 mm. Width: 46.20 mm. High: 21.10 mm. Wt. 236.3 g Has chassis location	16.02.2009
GM Racing	GM V-MAXX # 98986		GM LiPo 2S 7.4v. 5000 mah. 30C	Length: 137.10 mm. Width: 46.12 mm. High: 23.02 mm. Wt. 276.8 g Has chassis location	16.02.2009
GM Racing	GM V-MAXX # 98987		GM LiPo 2S 7.4v. 5000 mah. 35C	Length: 138.41 mm. Width: 46.18 mm. High: 23.23 mm. Wt. 285.0 g	16.02.2009 Pt # corrected 15.05.09
Hyperion HK	Swift #HPSW354000		Swift LiPo 2S 7.4v. 4000 mah. 35C	Length: 136.96 mm. Width: 46.03 mm. High: 21.11 mm. Wt. 235.7 g Has chassis location	16.02.2009
Hyperion HK	Swift #HPSW305000		Swift LiPo 2S 7.4v. 5000 mah. 30C	Length: 137.08 mm. Width: 46.08 mm. High: 22.98 mm. Wt. 277.8 g Has chassis location	16.02.2009
Robitronic Electronic	Robitronic # RO5211		Robitronic LiPo 2S2P 7.4v. 5000 35C	Length: 136.82 mm. Width: 44.78 mm. High: 23.30 mm. Wt. 287.3 g	16.02.2009
Robitronic Electronic	Robitronic # RO5212		Robitronic LiPo 2S2P 7.4v. 5000 40C	Length: 136.79 mm. Width: 44.74 mm. High: 22.97 mm. Wt. 282.5 g	16.02.2009

Speedpower	Speedpower #SLR4025H		Speedpower LiPo 2S 7.4v. 4000 mah. 25C	Length: 137.14 mm. Width: 46.20 mm. High: 21.02 mm. Wt. 238.9 g Has chassis location	16.02.2009
Speedpower	Speedpower #SLR4035H		Speedpower LiPo 2S 7.4v. 4000 mah. 35C	Length: 137.16 mm. Width: 46.20 mm. High: 21.12 mm. Wt. 233.5 g Has chassis location	16.02.2009
Speedpower	Speedpower #SLR5303H		Speedpower LiPo 2S 7.4v. 5300 mah. 30C	Length: 137.16 mm. Width: 46.17 mm. High: 23.01 mm. Wt. 276.7 g Has chassis location	16.02.2009
Thunder Power	Thunder Power RC # TP5000-2SPR		Thunder Power LiPo 2S 7.4v. 5000 mah. 40C	Length: 136.34 mm. Width: 46.32 mm. High: 23.22 mm. Wt. inc. wire 302.5 g	16.02.2009
TrakPower	TrakPower # TP32002S		TrakPower LiPo 2S 7.4v. 3200 mah. 20C Also EFRA label	Length: 137.45 mm. Width: 45.03 mm. High: 20.77 mm. Wt. 178.2 g	16.02.2009
TrakPower	TrakPower # TP32002S (30)		TrakPower LiPo 2S 7.4v. 3200 mah. 30C Also EFRA label	Length: 137.47 mm. Width: 44.98 mm. High: 20.71 mm. Wt. 193.4 g	16.02.2009
TrakPower	TrakPower # TP36002S (30)		TrakPower LiPo 2S 7.4v. 3600 mah. 30C Also EFRA label	Length: 137.41 mm. Width: 45.05 mm. High: 20.61 mm. Wt. 213.3 g	16.02.2009
TrakPower	TrakPower # TP49002S		TrakPower LiPo 2S 7.4v. 4900 mah. 25C Also EFRA label	Length: 137.36 mm. Width: 45.11 mm. High: 23.05 mm. Wt. 264.4 g	16.02.2009
TrakPower	TrakPower # TP54002S		TrakPower LiPo 2S 7.4v. 5400 mah. 16C Also EFRA label	Length: 137.50 mm. Width: 45.01 mm. High: 23.14 mm. Wt. 258.8 g	16.02.2009
Associated Electrics	Reedy # 711		Reedy LiPo 2S 7.4v. 4900 mah. 35C	Length: 138.98 mm. Width: 46.39 mm. High: 23.41 mm. Wt. 289.8 g	16.02.2009
Corally	Corally # 48251		Corally LiPo 2S 7.4v. 5000 mah. 25C	Length: 137.09 mm. Width: 46.03 mm. High: 23.03 mm. Wt. 267.7 g	16.02.2009
GPI International	GP # TC302		GP LiPo 2S 7.4v. 4300 35C	Length: 137.81 mm. Width: 46.38 mm. High: 23.42 mm. Wt. 232.1 g Has chassis location	16.02.2009

GPI International	GP # TC301		GP LiPo 2S 7.4v. 5300 28C	Length: 137.87 mm. Width: 46.25 mm. High: 23.44 mm. Wt. 271.6 g Has chassis location	16.02.2009
Hartweg RC	Green Power # GP1038		Green Power LiPo 2S1P 7.4v. 3800 mah. 30C	Length: 137.36 mm. Width: 45.58 mm. High: 20.60 mm. Wt. 197.4 g Has chassis location	16.02.2009
Intellect Battery	IP # CC2S3800V3		Intellect LiPo 2S 7.4v. 3800 mah. 35C	Length: 137.10 mm. Width: 46.08 mm. High: 21.23 mm. Wt. 236.2 g Has chassis location	16.02.2009
Intellect Battery	IP # CC2S5000V1		Intellect LiPo 2S 7.4v. 5000 mah. 30C	Length: 137.04 mm. Width: 46.03 mm. High: 23.10 mm. Wt. 278.1 g Has chassis location	16.02.2009
Vampire Racing	Vampire # VR-1005		Vampire LiPo 2S 7.4v. 5200 mah. 30C	Length: 137.23 mm. Width: 46.13 mm. High: 22.97 mm. Wt. 275.7 g Has chassis location	16.02.2009
Youchuang Electronic	H-Energy # HE5200-08		H-Energy LiPo 2S2P 7.4v. 5200 mah. 25C	Length: 138.11 mm. Width: 46.79 mm. High: 23.17 mm. Wt. 269.9 g	16.02.2009
Yuntong	Yuntong # YT90018		Yuntong LiPo 2S 7.4v. 5000 mah. 20C	Length: 137.14 mm. Width: 44.97 mm. High: 23.19 mm. Wt. inc wire 280.2 g	16.02.2009
Yuntong	Yuntong # YT90043		Yuntong LiPo 2S 7.4v. 5000 mah. 30C	Length: 136.84 mm. Width: 45.05 mm. High: 23.11 mm. Wt. 276.4 g	16.02.2009
João Martinho (Delegado Elétricos)					29.01.2014